

12.3.8 v.3

1-5-65

WASHINGTON STATE POLLUTION CONTROL COMMISSION

ALBERT D. ROSELLINI
Governor

ROY M. HARRIS, C.E.
Director



409 PUBLIC HEALTH BUILDING

OLYMPIA 98502

Commission

JOE DWYER
JOHN BIGGS
BERNARD BUCOTE, M.D., D.P.H.
GEORGE STARLUND
ROY MUNDT

January 5, 1965

Lone Star Cement Corporation
3801 S. Marginal Way South
Seattle, Washington 98134

Gentlemen:

Enclosed is Waste Discharge Permit number 2119, which has been issued in accordance with Chapter 71, of the Laws of 1955.

We commend you for accepting your responsibility to prevent pollution by installing and maintaining the waste disposal facilities necessary to qualify for this permit.

Very truly yours,

ROY M. HARRIS
Director

RMH:dn

Enclosure

USEPA SF



1261003

KEEP WASHINGTON WATERS CLEAN

AGC2H000540

STATE OF WASHINGTON
POLLUTION CONTROL COMMISSION Permit **Nº 2119**
OLYMPIA, WASHINGTON

In accordance with Chapter 71, Laws of 1955,
A WASTE DISCHARGE PERMIT is issued to:

Date of issue January 5, 1965.

Date of expiration January 5, 197

Lone Star Cement Corporation
3801 E. Marginal Way South
Seattle, Washington 98134
(Sand & Gravel)

Waste not to exceed 3,505,000 gallons per day may be discharged to

Duwamish Waterway

, subject to the following conditions:

1. The word "waste" in the above statement refers to the total volume of cooling and contaminated waters to be discharged.
2. All contaminated process waters are to be discharged into a lagoon or settling basin for the removal of fines.
3. Continuously maintain the settling basin as provided, to allow adequate settling time for the removal of fines and to prevent discharge to the waterway except by means of seepage only.
4. Sanitary sewage is to be discharged into the city sewer system.
5. All requirements and ordinances of the city pertaining to the discharge of wastes into the city sewer system are hereby made a condition of this permit.
6. In the event the permittee is temporarily unable to comply with any of the above conditions of this permit due to breakdown of equipment or other cause, the permittee is to immediately notify this Commission. This report is to include pertinent information as to the cause and what steps are being taken to correct the problem and prevent its recurrence.

This permit does not allow the discharge of wastes other than those mentioned herein. A new application shall be submitted whenever a change in the waste to be discharged is anticipated.

This permit is subject to termination if the Commission finds: (1) That it was procured by misrepresentation of any material fact or by lack of full disclosure in the application; (2) That there has been a violation of the conditions thereof; (3) That a material change in quantity or type of waste disposal exists.

In the event that a material change in the conditions of the state waters utilized creates a dangerous degree of pollution, the Commission may specify additional conditions to this permit.

Signed: 
Director, Pollution Control Commission

AGC2H000541